

CLIENT INFORMATION

Client: *****

Requested On: Jun 25, 2025

Phone: *****

Email: *****

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:

hello@gosimplelab.com

Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Microplastics Food Test

Matrix: Food

Testing / Report ID: 4RSWT4

Testing Facility: EMSL Analytical Inc

Facility Location: 200 Route 130 North
Cinnaminson, New Jersey 08077

SAMPLE INFORMATION

Collection Date: Jul 7, 2025

Collected By: *****

Received Date: Jul 9, 2025

Reported On: Jul 23, 2025

Sample Location: Celtic Sea Salt

Sample Address: *****

Sample Description: Celtic Sea Salt Fine Ground

TESTING NOTES FROM SIMPLELAB

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD
Microplastics (1000-5000 um)	Count/g	NOT DETECTED	0.0381	0.0381	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (100-500 um)	Count/g	NOT DETECTED	0.0381	0.0381	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (10-50 um)	Count/mL	NOT DETECTED	0.0381	0.0381	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (<10 um)	P/A	NOT DETECTED			Microplastics - Fluorescence Microscopy (FLM)
Microplastics (500-1000 um)	Count/g	NOT DETECTED	0.0381	0.0381	Microplastics - Fluorescence Microscopy (FLM)
Microplastics (50-100 um)	Count/g	NOT DETECTED	0.0381	0.0381	Microplastics - Fluorescence Microscopy (FLM)